



**COOL SOLUTIONS
FOR PROFESSIONALS**



TECHNICAL DATA	AGF1080R
Dimensions WxDxH	900x1140x2320
Climatic class	T
Operating temperature	-30/-5
Refrigerant	R404
Electric power supply V~/Hz	230/1/50
Max. power W	1550
Max. absorbed current A	8,5
Refrigeration system	VENTILATED AIR FORCED
Internal fittings shelves	10x (660x800)
Interstep	35 - 50
Net weight kg	275

AGF1080R

HIGH-END FREEZER FOR GELATO

Up to **98 tubs** 360x165x120

Up to **60 tubs** 360x250x120

AGF1080R AIR

**STANDARD EQUIPPED WITH 10 STAINLESS STEEL SHELVES
660x800 AND 10 PAIR OF STAINLESS STEEL Í CÎ RUNNERS**

GENERAL FEATURES

- Stainless steel aisi304 framework construction
- Scotch brite external finish
- **80 mm insulation** (high density 40 Kg/mc, CFC and HCFC free)
- Standard monocoques tructure (dismountable panel version on request)
- Internal compartment designed to accomodate **660 x 800** trays
- Rounded corners for better cleaning
- Stainless steel tray supports with pierced diamond pattern to adjust trays' height every 3,5 or 5 cm
- Door frame with replaceable electric resistance
- Magnetic gaskets replaceable without tools
- available with solid or glass door
- Automatic self closing door(s)
- Adjustable stainless steel feet (castors on request)
- Haccp electronic control board
- compensation valve
- Indirect ventilated air circulation system with flow conveyor to ensure temperature uniformity and perfect product preservation
- Automatic ventilation stop when opening doors, controlled by micro-switch on each door
- Refrigerant R404A for BT (low temp) models and R134a for TN models
- MONOBLOCK cooling system: all in one block above the cabinet to save internal space and ease maintenance
- Evaporator with anticorrosion cataphoresis treatment
- Automatic defrosting by heating elements
- Automatic evaporation of defrosting water through hot gas serpentine
- Climatic class T (43°C ambient temperature)

OPTIONS / ACCESSORIES

- Castors available on request
- Available also with water cooled unit
- Available with remote condensing unit
- Knocked down version

