

Gastronorm

Refrigerated counters

Refrigerated bases that optimize the working kitchen spaces and offer the maximum storage of food.

○ MODULAR STORAGE


Available with 600mm and 700mm depth, in 2, 3 or 4 doors models, with or without motor unit.



Air is drawn from the front while hot air can come out from the back, from the side or even from below in case of small space.



Optimal ventilation system that prevents air to flow toward the operator while he's working on the worktop.



Choose quality

Sturdy and durable worktops in stainless steel AISI 304 with rounded edges and sound absorbant, hydrofobic and fireproof undertop.



Compact display

Functionality and simplicity with touch technology.



Ergonomic handle

Reversible self-closing door with door stop.



Guides and GN 1/1 grids

Demountable racks and guides for an easy cleaning.



ItalianGelato
Concepts
dessert projects & equipment supply

Gastronorm product line



TG2

Temperature range	TN BT	0 +8 °C -15 -22 °C
Refrigeration power	TN BT	309 W 436 W
Electric power	TN BT	218 W 556 W
Voltage/Frequency	230V 50 Hz	
Refrigerant	R290	
Dimensions WxDxH	1368 x 700 x 850 mm	
Standard equipment	2 plasticized grids (530x325mm)	

Model data TG2 P PL TN - TG2 P PL BT

TG3

Temperature range	TN BT	0 +8 °C -15 -22 °C
Refrigeration power	TN BT	309 W 436 W
Electric power	TN BT	218 W 574 W
Voltage/Frequency	230V 50 Hz	
Refrigerant	R290	
Dimensions WxDxH	1822 x 700 x 850 mm	
Standard equipment	3 plasticized grids (530x325mm)	

Model data TG3 P PL TN - TG3 P PL BT

All Gastronorm products are available with:



Glass door



Drawers



Remote unit



ItalianGelato
Concepts
dessert projects & equipment supply



So many solutions

- Reversibility
Motor unit on the left
or on the right side
- Motor type
Monoblock or remote
- Productions
With drawers
With glass doors

TG4

Temperature range	TN BT	0 +8 °C -15 -22 °C
Refrigeration power	TN BT	369 W 568 W
Electric power	TN BT	263 W 616 W
Voltage/Frequency	230V 50 Hz	
Refrigerant	R290	
Dimensions WxDxH	2276 x 700 x 850 mm	
Standard equipment	4 plasticized grids (530x325mm)	

Model data TG4 P PL TN - TG4 P PL BT



Italian Gelato Concepts Pty Limited
Unit 1, 37 Mortimer Road
Acacia Ridge Qld 4110

Bris Office: +61 [0] 7 3162 7724
Syd Office +61 [0] 2 8311 9701

Email: info@italiangelato.com.au

www.italiangelato.com.au



Samaref s.r.l.

Viale A. Merloni 79, 60044 Fabriano (AN), Italy

info@samaref.it — Phone +39 0732 5452

www.samaref.it